Product datasheet MON240184



### Rabbit anti-Villin antibody, clone SQab19149 (monoclonal)

Clone no. SQab19149 MONOSAN

Product name Rabbit anti-Villin antibody, clone SQab19149 (monoclonal)

**Host** Rabbit

**Applications** IHC-P

Species reactivity Human

Conjugate -

Immunogen Synthetic peptide within aa. 600-700 of Human Villin.

Isotype -

**Clonality** Monoclonal

Clone number SQab19149

Size 100 ul

**Concentration** n/a

**Format** Purification with Protein A.

Storage buffer PBS, 0.01% Sodium azide, 40% Glycerol and 0.05% BSA.

Storage until expiry date -20°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Product datasheet

MON240184




Rabbit anti-Villin antibody, clone SQab19149 (monoclonal)

Clone no. SQab19149 MONOSAN

#### Additional info

Application note: IHC-P: Antigen Retrieval: Heat mediation was performed in Tris/EDTA buffer (pH 9.0), primary antibody incubate at RT (18°C - 25°C) for 30 minutes.\* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist. Storage instruction: For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use. Background: This gene encodes a member of a family of calcium-regulated actin-binding proteins. This protein represents a dominant part of the brush border cytoskeleton which functions in the capping, severing, and bundling of actin filaments. Two mRNAs of 2.7 kb and 3.5 kb have been observed; they result from utilization of alternate poly-adenylation signals present in the terminal exon. [provided by RefSeq, Jul 2008]

# **Images**



Immunohistochemistry: Formalin/PFA-fixed and paraffin-embedded Human colon tissue stained with anti-Villin antibody [SQab19149]. Antigen Retrieval: Heat mediation was performed in Tris/EDTA buffer (pH 9.0).

0

## References 1.

2 -

3. -

4.

5. -

## FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES